

DN A01475 US

Box Final  
PATENTAmendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (canceled)

Claim <sup>3</sup>/~~2~~ (previously amended): A precision fragmentation assemblage catalyst, wherein said catalyst comprises:

- (A) a precision fragmentation assemblage; and
- (B) at least one catalytic component;

wherein said precision fragmentation assemblage comprises:

- (i) a plurality of fragmentation domains; and
- (ii) one or more fragmentation zones;

wherein said fragmentation domain comprises at least one first polymer; and

wherein said fragmentation zone comprises at least one connecting phase, said connecting phase comprising at least one second polymer, said second polymer comprising at least one multi-ethylenically unsaturated second monomer, present as polymerized units, in an amount from 0.05 percent by weight to 100 percent by weight, based on the weight of the second polymer.

Claim <sup>4</sup>/~~3~~ (original): The catalyst of claim <sup>3</sup>/~~2~~, wherein said catalyst further comprises at least one activator component.

DN A01475 US

Box Final  
PATENT

Claim <sup>7</sup>/~~4~~ (original): The catalyst of claim <sup>3</sup>/~~2~~, wherein said fragmentation zone further comprises at least one pore phase.

Claim <sup>8</sup>/~~8~~ (original): The catalyst of claim <sup>3</sup>/~~2~~, wherein said fragmentation zone further comprises plural polymeric nanoparticles comprising at least one third polymer.

Claim <sup>11</sup>/~~6~~ (original): The catalyst of claim <sup>3</sup>/~~2~~, further comprising one or more tether groups covalently bound to a polymeric chain, wherein said polymeric chain is a chain selected from the group consisting of said first polymer, said second polymer, and combinations thereof.

Claim <sup>9</sup>/~~7~~ (original): The catalyst of claim <sup>8</sup>/~~8~~, further comprising one or more tether groups covalently bound to a polymeric chain, wherein said polymeric chain is a chain selected from the group consisting of said first polymer, said second polymer, said third polymer, and combinations thereof.

Claim <sup>13</sup>/~~8~~ (original): The catalyst of claim <sup>3</sup>/~~2~~, wherein said catalytic component is an organometallic catalyst based on a metal, wherein said metal is a metal selected from the group consisting of metals of Group 3-11, lanthanide metals, actinide metals, and combinations thereof.

Claim <sup>5</sup>/~~9~~ (original): The catalyst composition of claim <sup>4</sup>/~~3~~, wherein said activator component is an activator component selected from the group consisting of organoaluminum compounds, organoaluminumoxane compounds, hydroxyaluminumoxanes, aluminoxinates, organic borane compounds, inorganic borane compounds, borate anions, and mixtures thereof.

Claim <sup>14</sup>/~~10~~ (previously amended): An olefin polymerization process, wherein said olefin polymerization process comprises:

DN A01475 US

Box Final  
PATENT

- (A) contacting at least one olefin monomer with at least one precision fragmentation assemblage catalyst;
- (B) polymerizing said olefin monomer to produce a polyolefin;
- (C) isolating said polyolefin,

wherein said catalyst comprises:

- (i) a precision fragmentation assemblage; and
- (ii) at least one catalytic component;

wherein said precision fragmentation assemblage comprises:

- (a) a plurality of fragmentation domains; and
- (b) one or more fragmentation zones;

wherein said fragmentation domain comprises at least one first polymer;  
and

wherein said fragmentation zone comprises at least one connecting phase,  
said connecting phase comprising at least one second polymer, said  
second polymer comprising at least one multi-ethylenically  
unsaturated monomer, present as polymerized units, in an amount of  
at least 0.05 percent by weight to 100 percent by weight, based on the  
weight of said second polymer.

1  
Claim 11 (currently amended): A precision fragmentation assemblage wherein said  
assemblage comprises:

- (A) a plurality of fragmentation domains; and
- (B) one or more fragmentation zones;

wherein said fragmentation domain comprises at least one first polymer; and

wherein said fragmentation zone comprises:

- (i) one or more connecting phases;
- (ii) optionally, one or more pore phases; and
- (ii) optionally plural polymeric nanoparticles; and

wherein:

DN A01475 US

Box Final  
PATENT

said connecting phase comprises at least one second polymer;  
said second polymer comprises at least one multi-ethylenically  
unsaturated monomer, present as polymerized units, in an amount  
of at least 0.05 percent by weight to 100 percent by weight, based  
on the weight of said second polymer; and

said nanoparticles comprise at least one third polymer; and

(C) one or more tether groups covalently bound to a polymeric chain, wherein said  
polymeric chain is a chain selected from the group consisting of said first  
polymer, said second polymer, said third polymer, and combinations thereof.

<sup>2</sup>  
Claim ~~12~~ (previously presented): The precision fragmentation assemblage of claim ~~11~~,  
wherein said tether group comprises a functional group selected from the group  
consisting of epoxy, vinyl, allyl, primary amino, secondary amino, imino, amide,  
imide, aziridinyl, hydrazide, amidino, hydroxy, hydroperoxy, carboxyl, formyl,  
methoxycarbonyl, carbamoyl, sulfone, sulfine, sulfeno, thiol, thiocarboxyl,  
thioformyl, pyrrolyl, imidazolyl, piperidyl, indazolyl, carbazolyl, and combinations  
thereof.

Claims 13-17 (canceled)

<sup>12</sup>  
Claim ~~18~~ (previously presented): The catalyst of claim ~~6~~, wherein said tether group  
comprises a functional group selected from the group consisting of epoxy, vinyl,  
allyl, primary amino, secondary amino, imino, amide, imide, aziridinyl, hydrazide,  
amidino, hydroxy, hydroperoxy, carboxyl, formyl, methoxycarbonyl, carbamoyl,  
sulfone, sulfine, sulfeno, thiol, thiocarboxyl, thioformyl, pyrrolyl, imidazolyl,  
piperidyl, indazolyl, carbazolyl, and combinations thereof.

<sup>10</sup>  
Claim ~~19~~ (previously presented): The catalyst of claim ~~7~~, wherein said tether group  
comprises a functional group selected from the group consisting of epoxy, vinyl,

DN A01475 US

Box Final  
PATENT

allyl, primary amino, secondary amino, imino, amide, imide, aziridinyl, hydrazide, amidino, hydroxy, hydroperoxy, carboxyl, formyl, methoxycarbonyl, carbamoyl, sulfone, sulfine, sulfeno, thiol, thiocarboxyl, thioformyl, pyrrolyl, imidazolyl, piperidyl, indazolyl, carbazolyl, and combinations thereof.

Claim <sup>6</sup>~~20~~ (previously presented): The catalyst of claim <sup>3</sup>~~2~~, wherein said fragmentation domain has an average particle size of at least 0.002 microns to no more than 20 microns.